

## MIDIBAY



### MARKS, SYMBOLS & ICONS



### OPTIONS

- DALI Dimmable suffix /DA to order code
- AP-018 Trunking Mounting Bracket
- AP-149 Continuous mounting bracket
- AP-151/ AP-152 Ball Guard
- Avanti Smart
- Emergency
- Emergency Self Test
- Sensors



5 Year  
Warranty\*

\*Full warranty policy details are available upon request and are also viewable on our website.

CODE	WATTS	LUMENS	BEAM °	DIMENSIONS (mm)	WEIGHT
AP-MIDI100	112	14560	120	L: 600 x W: 480 x H: 50	5.1 Kg
AP-MIDI135	150	19500	120	L: 600 x W: 480 x H: 50	5.1 Kg
AP-MIDI168	188	24400	120	L: 600 x W: 595 x H: 50	6.1 Kg
AP-MIDI200	226	29380	120	L: 600 x W: 595 x H: 50	6.2 Kg

### GENERAL DATA

Housing Colour: **White**


Reflector: **White**

Protective Cover: **Yes**

Mounting: **Pendant / Surface with AP-018 accessory**

### PHOTOMETRICAL INFO

Beam Angle **120° / 90° / 120° diffused**



### ELECTRICAL SPECIFICATIONS

Input: **220-240 VAC**

Power Factor: **0.95**

IP Grade: **IP 20**

Electrical Class: **I**

Temp Range: **-25 to 40**

### LED SPECIFICATIONS


CRI: (Colour Rendering Index) **Ra ≥80 - 89**

CCT: (Correlated Colour Temp.) **5000K**

Maximum Life Time **50.000 hours**

## Ball Guard for Midibay

100 / 135W : AP-151  
168 / 200W : AP-152



## Midibay Trunking Mount Accessory

### AP-018

Kit contains 2 brackets and M4 screws  
for attaching to Midibay.  
Additional fixings not supplied

